


QUICK START

SOFTER


SF1050PRO | SF1250PRO










Ausgabe : 13 | Gültigkeit ab: 1. 6. 2025




- (CZ) Návod Quick Start nenahrazuje návod k použití!
- (GB) The Quick Start guide is not a substitute for the instruction manual!
- (D) Die Schnellstartanleitung ist kein Ersatz für die Bedienungsanleitung!
- (F) Le guide de démarrage rapide ne remplace pas le manuel d'instructions!
- (RU) Руководство по быстрому запуску не является заменой инструкции по эксплуатации!
- (PL) Podręcznik szybkiego startu nie zastępuje instrukcji obsługi!





Vorgang des Aufklappens der Maschine - Arbeitslage

1a		
1b		
2c		 100 bar/1450 Psi
2d		
3		
4		



2b




2c




2c








100 bar/1450 Psi




2d




← (P) →




SF1250 | 1050PRO





1



h [cm / ln]			
0		70 / 28	
2		64 / 25	
4		59 / 23	
6		53 / 21	
8		47 / 19	
11		TRANSPORT	








2





3





















○ 5 s












MAX 70 bar/1015 Psi





Vorgang des Zuklappens der Maschine - Transportlage

1a		
1b		
1c		
2a		
2b		
3		

1c



1d



2b

